# U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

### **ELEVATION CERTIFICATE**

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

SECTION A 7 PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name Lee Lewis Construction of Conway, LLC	Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 414 Channel View Drive	Company NAIC Number:
City Conway  State SC ZIP Code 29527	yof Famo
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 29 Bucksville Oaks Subdivision (Horry County Tax Parcel Number 160-19-01-098)	39190
	ched garage <u>453</u> sq ft flood openings in the attached garage
or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b within 1.0 foot above a  NA NA sq in c) Total net area of flood	openings in A9.b NA n in
d) Engineered flood openings?	
B1. NFIP Community Name & Community Number Horry County 450104  B2. County Name Horry County	B3. State South Carolina
B4. Map/Panel Number 45051C0514 B5. Suffix B6. FIRM Index Date 9/17/2003 B7. FIRM Panel Effective/Revised Date 20ne(s) AE	B9. Base Flood Elevation (Zone AO, use base flood depth) 8
310. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  ☐ FIS Profile ☑ FIXM ☐ Community Determined ☐ Other/Source:	
311. Indicate elevation datum used for BFE in Item B9: 🛛 NGVD 1929 💢 NAVD 1988 🔲 Other/Source:	
312. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Designation Date:	☐ Yes   No
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIR	RED)
C1. Building elevations are based on:   Construction Drawings*  Building Under Construction*	RED)  Finished Construction
C1. Building elevations are based on:  C1. Construction Drawings*  Building Under Construction*  A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Ricc only, enter meters.	Finished Construction
<ul> <li>C1. Building elevations are based on:</li></ul>	Exinished Construction  AH, AR/AO. Complete Items C2.a-h
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AE below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VRS Vertical Datum: NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1919 ☐ NAVD 1988 ☐ O Datum used for building elevations must be the same as that used for the BFE.	AH, AR/AO. Complete Items C2.a-h
C1. Building elevations are based on:  C2. Construction Drawings*  A new Elevation Certificate will be required when construction of the building is complete.  C3. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AE, below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  C4. Benchmark Utilized:  C5. GPS with SC VR  Vertical Datum:  NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below.  C6. Check	AH, AR/AO. Complete Items C2.a-h ther/Source:
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AE below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VRS Vertical Datum: NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1919 ☐ NAVD 1988 ☐ O Datum used for building elevations must be the same as that used for the BFE.	AH, AR/AO. Complete Items C2.a-h
C1. Building elevations are based on:  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VR Vertical Datum: NGVD 80  Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1939 NAVD 1988 OD Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)	AH, AR/AO. Complete Items C2.a-h  ther/Source: the measurement used.  feet
C1. Building elevations are based on:  C2. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VR Vertical Datum: NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1919 NAVD 1988 CD Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building	AH, AR/AO. Complete Items C2.a=h  ther/Source: the measurement used.  feet
C1. Building elevations are based on:  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VR Vertical Datum: NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1919 NAVD 1988 Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.  feet
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VR Vertical Datum: NGVD 88  Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1939 NAVD 1988 © O Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (HAG)  g) Highest adjacent (finished) grade next to building (HAG)	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.  feet    meters
C1. Building elevations are based on:  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VRS  Indicate elevation datum used for the elevations in items a) through h) below.  Indicate elevation datum used for the elevations in items a) through h) below.  Indicate elevation datum used for the elevations in items a) through h) below.  Indicate elevation datum used for the elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.  feet    meters
C1. Building elevations are based on: Construction Drawings* Building Under Construction*  *A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VR Vertical Datum: NGVD 88  Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1939 NAVD 1988 © O Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (HAG)  g) Highest adjacent (finished) grade next to building (HAG)	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.  feet
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VRS  Vertical Datum: NGVD 85  Indicate elevation datum used for the elevations in items a) through h) below. ☒ NGVD 1919 ☐ NAVD 1988 ☐ O Datum used for building elevations must be the same as that used for the BFE.  Check  a) Top of bottom floor (including basement, crawlspace, or enclosure floor)  b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only)  d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support 16.75  SECTION D − SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATIC  This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevat information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 16 U.S. Code, Section 1001.	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.    feet
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* "A new Elevation Certificate will be required when construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: GPS with SC VRS	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.    feet
C1. Building elevations are based on:	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.    feet
C1. Building elevations are based on:	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.    feet
C1. Building elevations are based on:	AH, AR/AO. Complete Items C2.a—h  ther/Source: the measurement used.    feet

	copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE
uilding Street Address (including Apt 14 Channel View Drive	t., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number:
ity Conway	State SC ZIP Code 26527	Company NAIC Number:
SECTION	N D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION	ON (CONTINUED)
opy both sides of this Elevation Cert	tificate for (1) community official, (2) insurance agent/company, and (3) but	uilding owner.
comments Elevations were determic GVD 29 using NGS VERTCON softs	de using GPS on South Carolina Virtual Referance Station. Observations ware. C2e elevation is for air conditioner located on left side of house (see	taken were in NAVD 88 and were converted to e pictures).
ignature	Date 4/26/2015	
SECTION E PUIL DING ELS		NE AO AND ZONE A (MITHOLIT BEE)
SECTION E - BUILDING ELE	EVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZO	NE AO AND ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural E1. Provide elevation information fo grade (HAG) and the lowest adj a) Top of bottom floor (including	• • • • • • • • • • • • • • • • • • •	nter meters.  vation is above or below the highest adjacent leters.   above or below the HAG.
2. For Building Diagrams 6-9 with	permanent flood openings provided in Section A Items 8 and/or 9 (see p.	ages 8–9 of Instructions), the next higher floor
(elevation C2.b in the diagrams) 3. Attached garage (top of slab) is		
	nd/or equipment servicing the building is feet _ meter	rs 🔲 above or 🔲 below the HAG.
	h number is available, is the top of the bottom floor elevated in accordance.  Unknown. The local official must certify this information in Section G.	e with the community's floodplain managemen
SECTION	N F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE	) CERTIFICATION
	rized representative who completes Sections A, B, and E for Zone A (with ements in Sections A, B, and E are correct to the best of my knowledge.	out a FEMA-issued or community-issued BFE
roperty Owner's or Owner's Authoriz		
ddress	City	State ZIP Code
ignature	Date	Telephone
omments		
		en en 11 en en en en
	V.	i l ('heck here it attachme
e local official who is authorized by lay	SECTION G - COMMUNITY INFORMATION (OPTIONAll we or ordinance to administer the community's floodolain management ordin	L)
e local official who is authorized by lav his Elevation Certificate. Complete th	SECTION G - COMMUNITY INFORMATION (OPTIONAl w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items	L) ance can complete Sections A, B, C (or E), and
his Elevation Certificate. Complete the .  The information in Section C is authorized by law to certify	w or ordinance to administer the community's floodplain management ordin ne applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by y elevation information. (Indicate the source and date of the elevation data	ance can complete Sections A, B, C (or E), and G8–G10. In Puerto Rico only, enter meters.  via licensed surveyor, engineer, or architect what in the Comments area below.)
his Elevation Certificate. Complete the Discourse The information in Section C is authorized by law to certify A community official complete.	w or ordinance to administer the community's floodplain management ordin- ne applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by	L) ance can complete Sections A, B, C (or E), and G8–G10. In Puerto Rico only, enter meters.  If a licensed surveyor, engineer, or architect what in the Comments area below.)  Community-issued BFE) or Zone AO.
his Elevation Certificate. Complete the The information in Section C is authorized by law to certify  A community official complete.  The following information (Ite	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or cems G4–G10) is provided for community floodplain management purposes	L) ance can complete Sections A, B, C (or E), and GR—G10. In Puerto Rico only, enter meters.  If a licensed surveyor, engineer, or architect what in the Comments area below.)  Community-issued BFE) or Zone AO.
his Elevation Certificate. Complete the Complete the Complete the Complete in Section Complete is authorized by law to certify A community official complete Complete The following information (Ite	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or cems G4–G10) is provided for community floodplain management purposes	L) ance can complete Sections A, B, C (or E), and s G8–G10. In Puerto Rico only, enter meters.  If a licensed surveyor, engineer, or architect what in the Comments area below.) community-issued BFE) or Zone AO.  s.
his Elevation Certificate. Complete the .  The information in Section C is authorized by law to certify .  A community official complete	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or tems G4–G10) is provided for community floodplain management purposes.  G5. Date Permit Issued  G6. Date Certificated.  New Construction	L) ance can complete Sections A, B, C (or E), and G8–G10. In Puerto Rico only, enter meters. If a licensed surveyor, engineer, or architect what in the Comments area below.) community-issued BFE) or Zone AO. S.  e Of Compliance/Occupancy Issued
his Elevation Certificate. Complete the limit of the information in Section C is authorized by law to certify of the limit of the information (Ite limit). Items of the following information (Ite limit). The following information (Ite limit). This permit has been issued for:  Elevation of as-built lowest floor (items).	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or community floodplain management purposes G5. Date Permit Issued G6. Date Certificated New Construction Substantial Improvement including basement) of the building:	ance can complete Sections A, B, C (or E), and G G8–G10. In Puerto Rico only, enter meters. It a licensed surveyor, engineer, or architect what in the Comments area below.)  community-issued BFE) or Zone AO.  S.  e Of Compliance/Occupancy Issued  ers Datum
his Elevation Certificate. Complete the Complete the Complete the Complete is authorized by law to certify A community official complete. The following information (Ite. 4. Permit Number  This permit has been issued for: Elevation of as-built lowest floor (in BFE or (in Zone AO) depth of floo	w or ordinance to administer the community's floodplain management ordin the applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or earns G4–G10) is provided for community floodplain management purposes.  G5. Date Permit Issued  G6. Date Certificated  New Construction  Substantial Improvement including basement) of the building:  feet  meteoring at the building site:	ance can complete Sections A, B, C (or E), and G G8–G10. In Puerto Rico only, enter meters. It a licensed surveyor, engineer, or architect what in the Comments area below.)  community-issued BFE) or Zone AO.  S.  c Of Compliance/Occupancy Issued  ers Datum  ers Datum
his Elevation Certificate. Complete the The information in Section C is authorized by law to certify A community official complete. The following information (Ite. 4. Permit Number  This permit has been issued for: Elevation of as-built lowest floor (in BFE or (in Zone AO) depth of flood). Community's design flood elevation.	w or ordinance to administer the community's floodplain management ordin the applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or community floodplain management purposes G5. Date Permit Issued G6. Date Certificated New Construction Substantial Improvement including basement) of the building: feet meteoding at the building site: feet meteoding site: feet feet meteoding site: feet feet	ance can complete Sections A, B, C (or E), and G G8–G10. In Puerto Rico only, enter meters. It a licensed surveyor, engineer, or architect what in the Comments area below.)  community-issued BFE) or Zone AO.  S.  c Of Compliance/Occupancy Issued  ers Datum  ers Datum
his Elevation Certificate. Complete the limit of the information in Section C is authorized by law to certify and the limit of the limi	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation date sed Section E for a building located in Zone A (without a FEMA-issued or community floodplain management purposes.    G5. Date Permit Issued	ance can complete Sections A, B, C (or E), and G G8–G10. In Puerto Rico only, enter meters. It a licensed surveyor, engineer, or architect what in the Comments area below.)  community-issued BFE) or Zone AO.  S.  c Of Compliance/Occupancy Issued  ers Datum  ers Datum
his Elevation Certificate. Complete the line in Section C is authorized by law to certify.  A community official complete.  The following information (Ite.).  A Permit Number  This permit has been issued for: Elevation of as-built lowest floor (i.e., BFE or (in Zone AO) depth of flood. Community's design flood elevation coal Official's Name	w or ordinance to administer the community's floodplain management ordinate applicable item(s) and sign below. Check the measurement used in Items was taken from other documentation that has been signed and sealed by elevation information. (Indicate the source and date of the elevation dated Section E for a building located in Zone A (without a FEMA-issued or dems G4–G10) is provided for community floodplain management purposed.  G5. Date Permit Issued  G6. Date Certificated.  New Construction  Substantial Improvement including basement) of the building:  feet meteoring meteoring meteoring including site:  Title	ance can complete Sections A, B, C (or E), and G G8–G10. In Puerto Rico only, enter meters. It a licensed surveyor, engineer, or architect what in the Comments area below.)  community-issued BFE) or Zone AO.  S.  e Of Compliance/Occupancy Issued  ers Datum  ers Datum

Ĭ

### **ELEVATION CERTIFICATE**, page 3

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 414 Channel View Drive

FOR INSURANCE COMPANY USE

Policy Number:

City Conway


State SC

ZIP Code 29527

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.





#### **ELEVATION CERTIFICATE**, page 4

## **Building Photographs**

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

ormation from Section A. FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 414 Channel View Drive

Policy Number:

City Conway

State SC

ZIP Code 29527

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

